



<<API Changes from Tizen 2.3 beta>>

Table of Contents

1. Account	5
1.1. Removed	5
2. Application.....	7
2.1 Removed.....	7
2.2 Changed	7
3. Badge.....	8
3.1 Removed.....	8
4. Bluetooth	9
4.1 Removed.....	9
5. Calendar.....	10
5.1 Removed.....	10
6. Connection	11
6.1 Removed.....	11
7. Cotacts.....	12
7.1 Changed	12
8. Data Control	13
8.1 Removed.....	13
8.2 Changed	13
9. Elementary (EFL)	16
9.1 Removed.....	16
10. Media Tool	17
10.1 Changed	17
10.2Changed	17
11. Message Port.....	18
11.1Changed	18
12. Notification	19
12.1 Removed.....	19
13. Package Manager.....	20
13.1Changed	20
14. Recorder	21
14.1 Removed.....	21
15. Service Application.....	22
15.1 Removed.....	22
15.2Changed	22

16. Shortcut	23
16.1 Removed.....	23
16.2Changed	23
17. System Settings	24
17.1 Removed.....	24
18. Telephony Information	25
18.1 Removed.....	25
19. Utils-i18n.....	26
19.1Changed	26

Overview

Some Native APIs exposed by Tizen 2.3 Beta SDK have been changed or removed in Tizen 2.3 Public SDK due to various reasons.

This document gives a list of such APIs with their corresponding module names, types, status, and details on signature changes as well.

1. Account

1.1. Removed

- int account_type_set_app_id(account_type_h account_type, const char *app_id);
- int account_type_set_service_provider_id(account_type_h account_type, const char *service_provider_id);
- int account_type_set_icon_path(account_type_h account_type, const char *icon_path);
- int account_type_set_small_icon_path(account_type_h account_type, const char *small_icon_path);
- int account_type_set_multiple_account_support(account_type_h account_type, const bool multiple_account_support);
- int account_type_set_label(account_type_h account_type, const char* label, const char* locale);
- int account_type_set_provider_feature(account_type_h account_type, const char* provider_feature);
- int account_type_delete_by_app_id(const char* app_id);
- #define ACCOUNT_DATA_SERVICE_PROVIDER "http://tizen.org/account/data/service_provider"
- #define ACCOUNT_OPERATION_SIGNIN_OLD "http://tizen.org/account/operation/signin"
- #define ACCOUNT_OPERATION_FMM "http://tizen.org/account/operation/fmm"
- #define ACCOUNT_OPERATION_MYACCOUNT "http://tizen.org/account/operation/signin_from_myaccount"
- #define ACCOUNT_SUPPORTS_CAPABILITY_EMAIL "http://tizen.org/account/capability/email"
- #define ACCOUNT_SUPPORTS_CAPABILITY_POST "http://tizen.org/account/capability/post"
- #define ACCOUNT_SUPPORTS_CAPABILITY_VOIP "http://tizen.org/account/capability/voip"
- #define ACCOUNT_SUPPORTS_CAPABILITY_SAMSUNG_APPS "http://tizen.org/account/capability/samsungapps"
- #define ACCOUNT_SUPPORTS_CAPABILITY_TASK "http://tizen.org/account/capability/task"
- #define ACCOUNT_SUPPORTS_CAPABILITY_MOBILE_TRACKER "http://tizen.org/account/capability/mobiletracker"
- #define ACCOUNT_SUPPORTS_CAPABILITY_S_NOTE "http://tizen.org/account/capability/snote"
- #define ACCOUNT_SUPPORTS_CAPABILITY_GALLERY "http://tizen.org/account/capability/gallery"
- #define ACCOUNT_SUPPORTS_CAPABILITY_MEMO "http://tizen.org/account/capability/memo"
- #define ACCOUNT_SUPPORTS_CAPABILITY_CHAT "http://tizen.org/account/capability/chat"
- #define ACCOUNT_SUPPORTS_CAPABILITY_BOOKMARK "http://tizen.org/account/capability/bookmark"
- #define ACCOUNT_SUPPORTS_CAPABILITY_SYNCHRONISE "http://tizen.org/account/capability/synchronise"
- #define ACCOUNT_SUPPORTS_CAPABILITY_TIZEN_EMAIL "http://tizen.org/account/capability/tizen_email"

<<API Chnages from Tizen 2.3 beta>>

- #define ACCOUNT_SUPPORTS_CAPABILITY_INTERNET "http://tizen.org/account/capability/internet"
- #define ACCOUNT_SUPPORTS_CAPABILITY_DOCOMO_SCHEDULE_MEMO http://tizen.org/account/capability/docomo

2. Application

2.1 Removed

- int app_get_memory_limit(int *limit);
- int app_get_large_memory_limit(int *limit);
- app_event_callback_s (structure)
- void (*app_low_memory_cb) (void *user_data)
- void (*app_low_battery_cb) (void *user_data)
- void (*app_device_orientation_cb) (app_device_orientation_e orientation, void *user_data)
- void (*app_language_changed_cb) (void *user_data)
- void (*app_region_format_changed_cb) (void *user_data)

2.2 Changed

- int app_main(int argc, char **argv, app_event_callback_s *callback, void *user_data);
 - ⇒ int ui_app_main(int argc, char **argv, ui_app_lifecycle_callback_s *callback, void *user_data);
- void app_exit(void);
 - ⇒ void ui_app_exit(void);
- char* app_get_resource(const char *resource, char *buffer, int size);
 - ⇒ char* app_get_resource_path(void);
- char* app_get_data_directory(char *buffer, int size);
 - ⇒ char* app_get_data_path (void)

3. Badge

3.1 Removed

- badge_action (Enum)

4. Bluetooth

4.1 Removed

➤ int bt_adapter_set_visibility(bt_adapter_visibility_mode_e discoverable_mode, int duration)

5. Calendar

5.1 Removed

- int calendar_reminder_add_receiver(const char *pkgname, const char *extra_data_key, const char *extra_data_value)
- int calendar_reminder_remove_receiver(const char *pkgname)
- int calendar_reminder_activate_receiver(const char *pkgname)
- int calendar_reminder_has_receiver(const char *pkgname)

6. Connection

6.1 Removed

- int connection_get_ethernet_state(connection_h connection, connection_ethernet_state_e* state)
- connection_ethernet_state_e (enum)

7. Cotacts

7.1 Changed

- int contacts_db_replace_records(contacts_list_h list, int record_id_array[], unsigned int count);
 - ⇒ int contacts_db_replace_records(contacts_list_h list, int record_id_array[], int count);
- int contacts_list_get_count(contacts_list_h contacts_list, unsigned int *count);
 - ⇒ int contacts_list_get_count(contacts_list_h contacts_list, int *count);
- int contacts_record_get_child_record_count(contacts_record_h record, unsigned int property_id, unsigned int *count);
 - ⇒ int contacts_record_get_child_record_count(contacts_record_h record, unsigned int property_id, int *count);

8. Data Control

8.1 Removed

- int data_control_sql_remove_cursor(result_set_cursor cursor);

8.2 Changed

- int data_control_map_register_response_cb(data_control_h provider, data_control_map_response_cb* callback);
 - ⇒ int data_control_map_register_response_cb(data_control_h provider, data_control_map_response_cb* callback, void *user_data);
- int data_control_provider_sql_register_cb(data_control_provider_sql_cb *callback);
 - ⇒ int data_control_provider_sql_register_cb(data_control_provider_sql_cb *callback, void *user_data);
- int data_control_provider_map_register_cb(data_control_provider_map_cb *callback);
 - ⇒ int data_control_provider_map_register_cb(data_control_provider_map_cb *callback, void *user_data);
- int data_control_sql_register_response_cb(data_control_h provider, data_control_sql_response_cb* callback);
 - ⇒ int data_control_sql_register_response_cb(data_control_h provider, data_control_sql_response_cb* callback, void *user_data);
- typedef void (*data_control_map_get_response_cb)(int request_id, data_control_h provider, char **result_value_list, int result_value_count, bool provider_result, const char *error)
 - ⇒ typedef void (*data_control_map_get_response_cb)(int request_id, data_control_h provider, char **result_value_list, int result_value_count, bool provider_result, const char *error, void *user_data)
- typedef void (*data_control_map_set_response_cb)(int request_id, data_control_h provider, bool provider_result, const char *error)
 - ⇒ typedef void (*data_control_map_set_response_cb)(int request_id, data_control_h provider, bool provider_result, const char *error, void *user_data)
- typedef void (*data_control_map_add_response_cb)(int request_id, data_control_h provider, bool provider_result, const char *error)
 - ⇒ typedef void (*data_control_map_add_response_cb)(int request_id, data_control_h provider, bool provider_result, const char *error, void *user_data)
- typedef void (*data_control_map_remove_response_cb)(int request_id, data_control_h provider, bool provider_result, const char *error)
 - ⇒ typedef void (*data_control_map_remove_response_cb)(int request_id, data_control_h provider, bool provider_result, const char *error, void *user_data)
- typedef void (*data_control_provider_sql_insert_request_cb)(int request_id, data_control_h provider, bundle *insert_data)

<<API Chnages from Tizen 2.3 beta>>

- ⇒ `typedef void (*data_control_provider_sql_insert_request_cb)(int request_id, data_control_h provider, bundle *insert_data, void *user_data)`
- `typedef void (*data_control_provider_sql_update_request_cb)(int request_id, data_control_h provider, bundle *update_data, const char *where)`
 - ⇒ `typedef void (*data_control_provider_sql_update_request_cb)(int request_id, data_control_h provider, bundle *update_data, const char *where, void *user_data)`
- `typedef void (*data_control_provider_sql_delete_request_cb)(int request_id, data_control_h provider, const char *where)`
 - ⇒ `typedef void (*data_control_provider_sql_delete_request_cb)(int request_id, data_control_h provider, const char *where, void *user_data)`
- `typedef void (*data_control_provider_sql_select_request_cb)(int request_id, data_control_h provider, const char **column_list, int column_count, const char *where, const char *order)`
 - ⇒ `typedef void (*data_control_provider_sql_select_request_cb)(int request_id, data_control_h provider, const char **column_list, int column_count, const char *where, const char *order, void *user_data)`
- `typedef void (*data_control_provider_map_get_value_request_cb)(int request_id, data_control_h provider, const char *key)`
 - ⇒ `typedef void (*data_control_provider_map_get_value_request_cb)(int request_id, data_control_h provider, const char *key, void *user_data)`
- `typedef void (*data_control_provider_map_set_value_request_cb)(int request_id, data_control_h provider, const char *key, const char *old_value, const char *new_value)`
 - ⇒ `typedef void (*data_control_provider_map_set_value_request_cb)(int request_id, data_control_h provider, const char *key, const char *old_value, const char *new_value, void *user_data)`
- `typedef void (*data_control_provider_map_add_value_request_cb)(int request_id, data_control_h provider, const char *key, const char *value)`
 - ⇒ `typedef void (*data_control_provider_map_add_value_request_cb)(int request_id, data_control_h provider, const char *key, const char *value, void *user_data)`
- `typedef void (*data_control_provider_map_remove_value_request_cb)(int request_id, data_control_h provider, const char *key, const char *value)`
 - ⇒ `typedef void (*data_control_provider_map_remove_value_request_cb)(int request_id, data_control_h provider, const char *key, const char *value, void *user_data)`
- `typedef void (*data_control_sql_insert_response_cb)(int request_id, data_control_h provider, long long inserted_row_id, bool provider_result, const char *error)`
 - ⇒ `typedef void (*data_control_sql_insert_response_cb)(int request_id, data_control_h provider, long long inserted_row_id, bool provider_result, const char *error, void *user_data)`
- `typedef void (*data_control_sql_delete_response_cb)(int request_id, data_control_h provider, bool provider_result, const char *error)`
 - ⇒ `typedef void (*data_control_sql_delete_response_cb)(int request_id, data_control_h provider, bool provider_result, const char *error, void *user_data)`
- `typedef void (*data_control_sql_select_response_cb)(int request_id, data_control_h provider, result_set_cursor enumerator, bool provider_result, const char *error)`
 - ⇒ `typedef void (*data_control_sql_select_response_cb)(int request_id, data_control_h provider, result_set_cursor enumerator, bool provider_result, const char *error, void *user_data)`

<<API Chnages from Tizen 2.3 beta>>

- `typedef void (*data_control_sql_update_response_cb)(int request_id, data_control_h provider, bool provider_result, const char *error)`
 - ⇒ `typedef void (*data_control_sql_update_response_cb)(int request_id, data_control_h provider, bool provider_result, const char *error, void *user_data)`

9. Elementary (EFL)

9.1 Removed

- Elm_Store *elm_store_filesystem_new(void);
- void elm_store_free(Elm_Store *st);
- void elm_store_filesystem_directory_set(Elm_Store *st, const char *dir);
- const char *elm_store_filesystem_directory_get(const Elm_Store *st);
- const char *elm_store_item_filesystem_path_get(const Elm_Store_Item *sti);
- void elm_store_target_genlist_set(Elm_Store *st, Evas_Object *obj);
- void elm_store_cache_set(Elm_Store *st, int max);
- int elm_store_cache_get(const Elm_Store *st);
- void elm_store_list_func_set(Elm_Store *st, Elm_Store_Item_List_Cb func, const void *data);
- void elm_store_fetch_func_set(Elm_Store *st, Elm_Store_Item_Fetch_Cb func, const void *data);
- void elm_store_unfetch_func_set(Elm_Store *st, Elm_Store_Item_Unfetch_Cb func, const void *data);
- void elm_store_fetch_thread_set(Elm_Store *st, Eina_Bool use_thread);
- Eina_Bool elm_store_fetch_thread_get(const Elm_Store *st);
- void elm_store_sorted_set(Elm_Store *st, Eina_Bool sorted);
- Eina_Bool elm_store_sorted_get(const Elm_Store *st);
- void elm_store_item_data_set(Elm_Store_Item *sti, void *data);
- void *elm_store_item_data_get(Elm_Store_Item *sti);
- const Elm_Store *elm_store_item_store_get(const Elm_Store_Item *sti);
- const Elm_Object_Item *elm_store_item_genlist_item_get(const Elm_Store_Item *sti);

10. Media Tool

10.1 Changed

- media_format_video_spec_s (structure)
- media_format_audio_spec_s (structure)
- media_format_s (structure)

10.2 Changed

- int media_packet_create_alloc(media_format_s *fmt, media_packet_finalize_cb fcb, void *fcb_data, media_packet_h *packet);
 - ⇒ int media_packet_create_alloc(media_format_h fmt, media_packet_finalize_cb fcb, void *fcb_data, media_packet_h *packet);
- int media_packet_create(media_format_s *fmt, media_packet_finalize_cb fcb, void *fcb_data, media_packet_h *packet);
 - ⇒ int media_packet_create(media_format_h fmt, media_packet_finalize_cb fcb, void *fcb_data, media_packet_h *packet);
- int media_packet_create_from_tbm_surface(media_format_s *fmt, tbm_surface_h surface, media_packet_finalize_cb fcb, void *fcb_data, media_packet_h *packet);
 - ⇒ int media_packet_create_from_tbm_surface(media_format_h fmt, tbm_surface_h surface, media_packet_finalize_cb fcb, void *fcb_data, media_packet_h *packet);
- int media_packet_get_format(media_packet_h packet, media_format_s **fmt);
 - ⇒ int media_packet_get_format(media_packet_h packet, media_format_h *fmt);
- int media_packet_set_format(media_packet_h packet, media_format_s *fmt);
 - ⇒ int media_packet_set_format(media_packet_h packet, media_format_h fmt);

11. Message Port

11.1 Changed

- int message_port_register_local_port(const char *local_port, message_port_message_cb callback);
 - ⇒ int message_port_register_local_port(const char *local_port, message_port_message_cb callback, void *user_data);
- int message_port_register_trusted_local_port(const char *trusted_local_port, message_port_trusted_message_cb callback);
 - ⇒ int message_port_register_trusted_local_port(const char *trusted_local_port, message_port_trusted_message_cb callback, void *user_data);
- int message_port_register_trusted_local_port(const char *trusted_local_port, message_port_trusted_message_cb callback);
 - ⇒ int message_port_register_trusted_local_port(const char *trusted_local_port, message_port_trusted_message_cb callback, void *user_data)
- typedef void (*message_port_message_cb)(int local_port_id, const char *remote_app_id, const char *remote_port, bool trusted_remote_port, bundle *message)
 - ⇒ typedef void (*message_port_message_cb)(int local_port_id, const char *remote_app_id, const char *remote_port, bool trusted_remote_port, bundle *messagem, void *user_data)
- typedef void (*message_port_trusted_message_cb)(int trusted_local_port_id, const char *remote_app_id, const char *remote_port, bool trusted_remote_port, bundle *message)
 - ⇒ typedef void (*message_port_trusted_message_cb)(int trusted_local_port_id, const char *remote_app_id, const char *remote_port, bool trusted_remote_port, bundle *message, void *user_data)

12. Notification

12.1 Removed

- int notification_set_text_domain(notification_h noti, const char *domain, const char *dir)
- int notification_get_text_domain(notification_h noti, char **domain, char **dir)

13. Package Manager

13.1 Changed

- int package_manager_set_event_status(package_manager_h manager, package_manager_status_type_e status_type);
 - ⇒ int package_manager_set_event_status(package_manager_h manager, int status_type);

14. Recorder

14.1 Removed

- int recorder_attr_set_recording_orientation(recorder_h recorder, recorder_rotation_e orientation);
- int recorder_attr_get_recording_orientation(recorder_h recorder, recorder_rotation_e *orientation);
- int recorder_attr_set_recording_flip(recorder_h recorder, recorder_flip_e flip);
- int recorder_attr_get_recording_flip(recorder_h recorder, recorder_flip_e *flip);
- int recorder_attr_foreach_supported_recording_flip(recorder_h recorder, recorder_attr_supported_recording_flip recorder_flip_e (enum)

15. Service Application

15.1 Removed

- `typedef void (*service_app_low_memory_cb) (void *user_data)`
- `typedef void (*service_app_low_battery_cb) (void *user_data);`
- `service_app_event_callback_s` (structure)

15.2 Changed

- `int svc_app_main(int argc, char **argv, service_app_event_callback_s *callback, void *user_data);`
 - ⇒ `int service_app_main(int argc, char **argv, service_app_lifecycle_callback_s *callback, void *user_data)`
- `void svc_app_exit(void)`
 - ⇒ `void service_app_exit(void)`
- `service_app_error_e`
 - ⇒ `app_error_e`

16. Shortcut

16.1 Removed

- #define ADD_TO_HOME_IS_DYNAMICBOX(type) (!!(type) & 0x10000000)
- #define SHORTCUT_STATUS_IS_ERROR(type) (!!(type) & SHORTCUT_ERROR)
- #define SHORTCUT_STATUS_IS_CARED(type) (!!(type) & SHORTCUT_STATUS_CARED))
- #define SHORTCUT_ERROR_CODE(status) ((status) & ~SHORTCUT_STATUS_CARED)

16.2 Changed

- int add_to_home_shortcut(const char *appid, const char *name, int type, const char *content_info, const char *icon, int allow_duplicate, result_cb_t result_cb, void *data);
 - ⇒ int shortcut_add_to_home(const char *name, shortcut_type type, const char *uri, const char *icon, int allow_duplicate, result_cb_t result_cb, void *data);
- typedef int (*result_cb_t)(int ret, int pid, void *data)
 - ⇒ typedef int (*result_cb_t)(int ret, void *data);

17. System Settings

17.1 Removed

- `int system_settings_set_value_int(system_settings_key_e key, int value);`
- `int system_settings_set_value_bool(system_settings_key_e key, bool value);`
- `int system_settings_set_value_string(system_settings_key_e key, const char *value);`

18. Telephony Information

18.1 Removed

➤ int telephony_sim_get_cphs_operator_name(telephony_h handle, char **full_name, char **short_name);

19. Utils-i18n

19.1 Changed

- `int i18n_unumber_create (i18n_unumber_format_style_e style, const i18n_uchar *pattern, int pattern_len, const char *locale, i18n_unumber_uparse_error_h parse_err, i18n_unumber_format_h *num_format)`
 - ⇒ `int i18n_unumber_create (i18n_unumber_format_style_e style, const i18n_uchar *pattern, int32_t pattern_len, const char *locale, i18n_unumber_uparse_error_s *parse_err, i18n_unumber_format_h *num_format)`
- `int i18n_ustring_compare (const i18n_uchar *s1, const i18n_uchar *s2, int *result)`
 - ⇒ `int32_t i18n_ustring_compare (const i18n_uchar *s1, const i18n_uchar *s2)`
- `int i18n_ustring_get_length (const i18n_uchar *s, int *num_uchar)`
 - ⇒ `int32_t i18n_ustring_get_length (const i18n_uchar *s)`
- `int i18n_ustring_copy (i18n_uchar *dest, const i18n_uchar *src)`
 - ⇒ `i18n_uchar* i18n_ustring_copy (i18n_uchar *dest, const i18n_uchar *src)`
- `int i18n_ustring_copy_n (i18n_uchar *dest, const i18n_uchar *src, int n)`
 - ⇒ `i18n_uchar* i18n_ustring_copy_n (i18n_uchar *dest, const i18n_uchar *src, int32_t n)`
- `int i18n_ustring_copy_ua (i18n_uchar *dest, const char *src)`
 - ⇒ `i18n_uchar* i18n_ustring_copy_ua (i18n_uchar *dest, const char *src)`
- `int i18n_ustring_copy_ua_n (i18n_uchar *dest, const char *src, int n)`
 - ⇒ `i18n_uchar* i18n_ustring_copy_ua_n (i18n_uchar *dest, const char *src, int32_t n);`
- `int i18n_ustring_copy_au (char *dest, const i18n_uchar *src)`
 - ⇒ `char* i18n_ustring_copy_au (char *dest, const i18n_uchar *src);`
- `int i18n_ustring_copy_au_n (char *dest, const i18n_uchar *src, int n)`
 - ⇒ `char* i18n_ustring_copy_au_n (char *dest, const i18n_uchar *src, int32_t n)`
- `int i18n_ustring_uppercase (i18n_uchar *dest, int dest_capacity, const i18n_uchar *src, int src_len, const char *locale, int *len_result)`
 - ⇒ `int32_t i18n_ustring_to_upper (i18n_uchar *dest, int32_t dest_capacity, const i18n_uchar *src, int32_t src_len, const char *locale, i18n_error_code_e *error_code)`
- `int i18n_ustring_titlecase (i18n_uchar *dest, int dest_capacity, const i18n_uchar *src, int src_len, i18n_ubreak_iterator_s *title_iter, const char *locale, int *len_result);`
 - ⇒ `int32_t i18n_ustring_to_title (i18n_uchar *dest, int32_t dest_capacity, const i18n_uchar *src, int32_t src_len, i18n_ubreak_iterator_s *title_iter, const char *locale, i18n_error_code_e *error_code)`

<<API Chnages from Tizen 2.3 beta>>

- int i18n_ustring_to_UTF8 (char *dest, int dest_capacity, int *dest_len, const i18n_uchar *src, int src_len) char*i18n_ustring_to_UTF8 (char *dest, int32_t dest_capacity,
 - ⇒ int32_t *dest_len, const i18n_uchar *src, int32_t src_len, i18n_error_code_e *error_code)
- int i18n_ustring_from_UTF8 (i18n_uchar *dest, int dest_capacity, int *dest_len, const char *src, int src_len)
 - ⇒ i18n_uchar* i18n_ustring_from_UTF8 (i18n_uchar *dest, int32_t dest_capacity, int32_t *dest_len, const char *src, int32_t src_len, i18n_error_code_e *error_code)